BIMU





BIMU

Clase media-alta. Precio medio-alto.

Bimu reinterprets the industrial system of modular shelving to apply them to the world of the office. Recovering the essence and eliminating everything superfluous,

Bimu manages to find beauty in the functionality of the product. With the aluminium structure and all the accessories designed to facilitate and accompany the user, whether for collaborative work or for individual concentration, Bimu allows you to transform open spaces into welcoming and productive work environments.

Create, build, and adapt your workspace as many times as you need.

Pergola BIMU

Bimu is an aluminum pergola composed of an 80x80mm structure and four compositions 3x3, 2x2, 2x1 and 3x1.

Measurements module 3x3; 3.32x3.32m



Measurements module 2x2; 2.24x2.24m



Measurements module 2x1; 2.24x1.16m



2x3 module measurements: 2.24x3.32m



3x1 module measurements: 3.32x1.16m



The sides can be combined with finishes, textile, round metal slats, board slats, screen, melamine boards, zenit or Luxe.

Bimu, being an open pergola, does not need electrification or air conditioning since it uses the same space. It also has a movable arm lamp that allows the space to be illuminated.

As it is an element entirely in aluminum and choosing finishes such as screen or slats, it can be placed outside. It also has a screen roof to provide sun protection.

Material:

80 x80 aluminium frame available in:

Colors







Material:

Bilaminate panels

Work surfaces in particle board made of wood particles, available in 19 mm thickness, glued with synthetic resins, medium density 650 kg/m3.


Luxe, Zenit and Syncron panels


18mm thick countertops manufactured in our production plants. With very current chromatics, excellent design and quality.

Luxe panels: it is a glossy lacquered surface with a mirror effect, high resistance and anti-fingerprint.

Zenit panels: super-matt lacquered surface with a silky, anti-fingerprint finish.

Syncron panels with textured surface and the embossed finish complement each other for a great naturalness and high decorative level.







PANEL BOARD AND WHITEBOARD








Material:





PANEL SCREEN








KIZUNA CHECKER B007


KIZUNA CHECKER N002

KIZUNA TEWWD G013

| Peso | | | | 420 g | 420 g/m² 12,4 az/sqyd | | | |
|------------------------------------|--|--|-------------------|--|-------------------------|---|---|--|
| Ancho | | | | 150 cm 59 in | | | | |
| Tamaño Del Rollo* | | | | 30 lm | 30 lm 32,9 yd | | | |
| Factor De Apertura | | | | 2,5% | 2,5% | | | |
| Composición [| | | acritic | 71 % poliéster recubierto de PVC + 29 % acrílico tintado en masa elidad del tomple de rollo estándo: | | | | |
| # I amortived dis redle he | | | | | | | | |
| | | | saenos de la aspa | spinous dei igricino o | e roso estanos. | | | |
| *Longitud de rollo hi Característi | | | <u>(</u> | 1 | ₽¥. | 0 | 3 | |

Material:





LINOLEUM PANEL



POTATO SKIN 4005


- Una solución 100% natural
- Flexible y elástico
- Higiénico y bacteriostático
- Duradero, atemporal y resistente
- Versátil y colorido
- Práctico y fácil
 Sostenible
- 2182 potato skin *

| Grosor | 6 mm | | |
|------------------|------------------------------------|--|--|
| Longitud / Ancho | ≤ 28 m x 122 cm ≤ 28 m x 183 cm | | |
| Ncs | S 4005-Y20R | | |
| LRV | 28% | | |



Material:







ACOUSTIC PANEL



MARMOR

Material:






UPHOLSTERED PANEL



Material:



ROUND SLAM

Aluminum structure



Material:

FLAT PLANK DASHBOARD PANEL












ACCESSORIES:

Bimu, being an open pergola, does not need electrification or air conditioning since it uses the same space. It also has a movable arm lamp that allows the space to be illuminated in two sizes.



Hanging accessories that move to the required height without the use of tools, as they are fixed by metal pieces anchored in the structure.

